

Job Name:	
Tag#	



Submittal Data Sheet

CTXG09QVJUW(S)

.75-Ton Wall Mounted Indoor Unit



Complete warranty details available from your local dealer or at www.daikincomfort.com. To receive the 12-Year Parts Limited Warranty, online registration must be completed within 60 days of installation. Online registration is not required in California or Quebec. *If product is installed in a commercial application, limited warranty period is 5 years.*

Electrical

*208/230V

	Cooling	Heating
Running Current (Rated) (A)	.07/.07*	.13/.12*
Power Consumption (Rated) (W)	13/13*	26/26*

Indoor Specifications

Airflow Rate (cfm)	Cooling		Heating	
	H	M	H	M
	279	212	367	265
	L	SL	L	SL
	162	134	205	117
Sound (dBA) H / M / L / SL	38 / 32 / 25 / 21		41 / 34 / 28 / 21	
Dimensions (H × W × D) (in)		11-15/16 × 39-5/16 × 8-3/8		
Weight (Lbs)		27		
Nominal Capacity (Btu/hr)		9,000		

*See Outdoor Unit for Rated Capacities

Piping

Liquid (in)	1/4
Gas (in)	3/8
Drain (in)	11/16

Color Selection

White _____

Silver _____

Optional Accessories



Included	Part Number	Description
	BRP072A43	Wireless Interface Adapter (S21 Adapter Included)
	DACA-TS-1	Daikin ENVi Intelligent Thermostat Kit
	BRC944B2-A08	Wired Remote Controller Kit (Includes BRC944B2 & BRCW901A08)
	DACA-BRCW901P10	Remote Controller Cable, Plenum Rated, 10 ft (For BRC944B2)
	DACA-BRCW901P25	Remote Controller Cable, Plenum Rated, 25 ft (For BRC944B2)
	KRP928BB2S	Interface adaptor for DIII-NET
	DACA-CP1-1	Inline Condensate Pump (Fits inside all Daikin wall & floor mount units)
	DACA-CP4-1	External Condensate Pump
	KAF970A46	Air-purifying filter with photocatalytic deodorizing function (without frame)

Daikin North America LLC 5151 San Felipe, Suite 500 Houston, TX 77056

(Daikin's products are subject to continuous improvements. Daikin reserves the right to modify product design, specifications and information in this data sheet without notice and without incurring any obligations)

Submittal Creation Date: June 2017

Page 1 of 2

Job Name:	
Tag#	



Submittal Data Sheet

CTXG12QVJUW(S)

1-Ton Wall Mounted Indoor Unit



Complete warranty details available from your local dealer or at www.daikincomfort.com. To receive the 12-Year Parts Limited Warranty, online registration must be completed within 60 days of installation. Online registration is not required in California or Quebec. *If product is installed in a commercial application, limited warranty period is 5 years.*

Electrical

*208/230V

	Cooling	Heating
Running Current (Rated) (A)	.13/.12*	.19/.17*
Power Consumption (Rated) (W)	26/26*	38/38*

Indoor Specifications

Airflow Rate (cfm)	Cooling		Heating	
	H	M	H	M
	353	230	420	300
	L	SL	L	SL
	162	134	219	124
Sound (dBA) H / M / L / SL	45 / 34 / 26 / 22		45 / 37 / 29 / 22	
Dimensions (H x W x D) (in)		11-15/16 x 39-5/16 x 8-3/8		
Weight (Lbs)		27		
Nominal Capacity (Btu/hr)		12,000		

*See Outdoor Unit for Rated Capacities

Piping

Liquid (in)	1/4
Gas (in)	3/8
Drain (in)	11/16

Color Selection

White _____

Silver _____

Optional Accessories




Included	Part Number	Description
	BRP072A43	Wireless Interface Adapter (S21 Adapter Included)
	DACA-TS-1	Daikin ENVi Intelligent Thermostat Kit
	BRC944B2-A08	Wired Remote Controller Kit (Includes BRC944B2 & BRCW901A08)
	DACA-BRCW901P10	Remote Controller Cable, Plenum Rated, 10 ft (For BRC944B2)
	DACA-BRCW901P25	Remote Controller Cable, Plenum Rated, 25 ft (For BRC944B2)
	KRP928BB2S	Interface adaptor for DIII-NET
	DACA-CP1-1	Inline Condensate Pump (Fits inside all Daikin wall & floor mount units)
	DACA-CP4-1	External Condensate Pump
	KAF970A46	Air-purifying filter with photocatalytic deodorizing function (without frame)

Daikin North America LLC 5151 San Felipe, Suite 500 Houston, TX 77056

(Daikin's products are subject to continuous improvements. Daikin reserves the right to modify product design, specifications and information in this data sheet without notice and without incurring any obligations)

CTXG12QVJUW(S) Dimensional Data



Daikin North America LLC 5151 San Felipe, Suite 500 Houston, TX 77056

(Daikin's products are subject to continuous improvements. Daikin reserves the right to modify product design, specifications and information in this data sheet without notice and without incurring any obligations)

Job Name:	
Tag#	



Submittal Data Sheet

CTXG18QVJUW(S)

1.5-Ton Wall Mounted Indoor Unit



Complete warranty details available from your local dealer or at www.daikincomfort.com. To receive the 12-Year Parts Limited Warranty, online registration must be completed within 60 days of installation. Online registration is not required in California or Quebec. *If product is installed in a commercial application, limited warranty period is 5 years.*

Electrical

*208/230V

	Cooling	Heating
Running Current (Rated) (A)	.14/.14*	.21/.21*
Power Consumption (Rated) (W)	28/28*	42/42*

Indoor Specifications

Airflow Rate (cfm)	Cooling		Heating	
	H	M	H	M
	364	286	438	350
	L	SL	L	SL
	233	219	265	212
Sound (dBA) H / M / L / SL	46 / 40 / 35 / 32		47 / 41 / 35 / 32	
Dimensions (H × W × D) (in)		11-15/16 × 39-5/16 × 8-3/8		
Weight (Lbs)		27		
Nominal Capacity (Btu/hr)		18,000		

*See Outdoor Unit for Rated Capacities

Piping

Liquid (in)	1/4
Gas (in)	1/2
Drain (in)	11/16

Color Selection

White _____

Silver _____

Optional Accessories



Included	Part Number	Description
	BRP072A43	Wireless Interface Adapter (S21 Adapter Included)
	DACA-TS-1	Daikin ENVi Intelligent Thermostat Kit
	BRC944B2-A08	Wired Remote Controller Kit (Includes BRC944B2 & BRCW901A08)
	DACA-BRCW901P10	Remote Controller Cable, Plenum Rated, 10 ft (For BRC944B2)
	DACA-BRCW901P25	Remote Controller Cable, Plenum Rated, 25 ft (For BRC944B2)
	KRP928BB2S	Interface adaptor for DIII-NET
	DACA-CP1-1	Inline Condensate Pump (Fits inside all Daikin wall & floor mount units)
	DACA-CP4-1	External Condensate Pump
	KAF970A46	Air-purifying filter with photocatalytic deodorizing function (without frame)


Daikin North America LLC 5151 San Felipe, Suite 500 Houston, TX 77056

(Daikin's products are subject to continuous improvements. Daikin reserves the right to modify product design, specifications and information in this data sheet without notice and without incurring any obligations)

CTXG18QVJUW(S) Dimensional Data



NOTE) 1. THE MARK (→) SHOWS PIPING DIRECTION.



Daikin North America LLC 5151 San Felipe, Suite 500 Houston, TX 77056

(Daikin's products are subject to continuous improvements. Daikin reserves the right to modify product design, specifications and information in this data sheet without notice and without incurring any obligations)

Submittal Creation Date: June 2017

Page 2 of 2